	Application No.	Applicant(s)
Aladia ad Allania billia.	10/767,024	ENGLER ET AL.
Notice of Allowability	Examiner	Art Unit
	Thomas R. Artman	2882
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>02 May 2006</u> .		
2.  The allowed claim(s) is/are <u>4,8-11 and 13-31.</u>		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3.  Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	6. ☐ Interview Summary Paper No./Mail Dat	
Paper No./Mail Date	,,	
4.   Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.  Other	

## **DETAILED ACTION**

## Allowable Subject Matter

Claims 4, 8-11 and 13-31 are allowed.

The following is an examiner's statement of reasons for allowance: claims 4, 8, 16, 20 and 28 are allowed for reasons as stated in the previous Office action, dated November 8<sup>th</sup>, 2005.

Claims 9-11, 13-19, 21-27 and 29-31 are allowed by virtue of their dependency.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Sofield (US 5,621,214) is similar to the claimed invention, including moving a detector within the radiation field and correlating maximum intensities by location with respect to expected maxima; however, the determinations of maximum intensities are within the context of normalizing the source output for calibration purposes and are not used for the basis of altering an excitation plan, and further where the detector is moved within a single radiation field and the calibration is determined within the field and is not compared to other gantry angles, etc.

Application/Control Number: 10/767,024 Page 3

Art Unit: 2882

Seppi (US 2004/0096033 A1) teaches a similar device to the claimed invention, where a detector measures the radiation field provided by a first excitation plan, and where the output of the detector is used to verify/modify the excitation plan based upon detected deviations from the plan; however, the detector is a stationary area detector, and there is no discussion of detecting or comparing maximal intensities as forming the basis for excitation plan revision.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas R. Artman whose telephone number is (571) 272-2485. The examiner can normally be reached on 9am - 5:30pm Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on (571) 272-2490. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Thomas R. Artman Patent Examiner

EDWARD J. GLICK SUPERVISORY PATENT EXAMINER